

Common Gateway Interface CGI/1.1


`http://hoohoo.ncsa.uiuc.edu/cgi/`

```
#!/bin/sh
echo "Content-type: text/plain"
echo

finger $1
```

1

Formularze cd



Adres:
Telefon:
Zamawiam: buty
Płatne: VISA Master Card Cash
Zamawiam NIE!!!

3

Formularze

```
<hr>
<form action="/cgi-bin/order" method="POST">
Adres: <input name="adres"><br> Telefon: <input name="tel"><br>
Zamawiam:
<select name="co">
<option> buty
<option> rower
<option> psa
</select><br>
Płatne: <input type="radio" name="karta" value="visa">VISA
<input type="radio" name="karta" value="master">Master Card
<input type="radio" name="karta" value="gotowka" checked>Cash<br>
<input type="submit" value="Zamawiam">
<input type="reset" value="NIE!!!">
</form>
<hr>
```

2

Non-Parsed Headers

```
#!/usr/local/bin/perl

print <<"EoHTTP";
$ENV{SERVER_PROTOCOL} 301 Moved Permanently
Server: $ENV{SERVER_SOFTWARE}
Location: http://www.ia.pw.edu.pl
Content-type: text/html

<html>
<head><title>Ziuuuuuuu...</title></head>
<body>
<h1>Strona zosta\063a przeniesiona</h1>
<hr>
G.
</body>
</html>
EoHTTP
```

4